



Certificate of Factory Production Control

Germanischer Lloyd

0098 – CPD – 0003

Vorsetzen 32
D-20459 Hamburg / Germany
Notification No. 0098

In compliance with the Directive 89/106/EEC of the Council of European Communities of 21 December 1988 on the approximation of laws, regulations and administrative provisions of the Member States relating to the construction products (Construction Products Directive - CPD), amended by the Directive 93/68/EEC of the Council of European Communities of 22 July 1993, it has been stated that the construction product:

Hot rolled plates and strips of structural steels

Technical Specification	Shape and Dimension of Construction Product	Material
EN 10025-2; -3; -4	Continuously hot-rolled uncoated plate, sheet and strip acc. to EN 10051:1991 + A1:1997 Dimensions acc. to Annex 1	Material grades acc. to Annex 1

produced by the manufacturer

Dunaferr Dunai Vasmű ZRt.
Vasmű tère 1-3
2004 Dunáújváros
Hungary

in the factory
Dunáújváros – Hungary

is submitted by the manufacturer to the initial type-testing of the product, a factory production control and to the further testing of samples taken at the factory in accordance with a prescribed test plan and that the notified body – *Germanischer Lloyd* - has performed the initial inspection of the factory and of the factory production control and performs the continuous surveillance, assessment and approval of the factory production control.

This certificate attests that all provisions concerning the attestation of factory production control described in Annex ZA of the standard

EN 10025-1:2004

were applied.

This certificate remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the FPC itself are not modified significantly.

First issue: 2006-08-28
Current issue: 2006-10-13

Hamburg, 2006-10-13

Daniel Engel
Head of Certification Body



Annex 1 to Certificate 0098 – CPD – 0003

Type of construction product including product standard

- EN 10051, Continuously hot-rolled uncoated plate, sheet and strip of non-alloy and alloy steels

Material grades produced, including dimensional range

- EN 10025-2 (Part 2: non-alloy structural steels)

X	S235JR (1.0038)	Thickness min. 1,2 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S235J0 (1.0114)		
X	S235J2 (1.0117)		
X	S275JR (1.0044)	Thickness min. 1,5 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S275J0 (1.0143)		
X	S275J2 (1.0145)		
X	S355JR (1.0045)	Thickness min. 2,0 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S355J0 (1.0553)		
X	S355J2 (1.0577)		
X	S355K2 (1.0596)		

- EN 10025-3 (Part 3: normalized/normalized rolled weldable fine grain structural steels)

X	S275N (1.0490)	Thickness min. 1,5 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S275NL (1.0491)		
X	S355N (1.0545)	Thickness min. 2,0 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S355NL (1.0546)		
X	S420N (1.8902)	Thickness min. 2,8 mm Width min. 800 mm	max. 12 mm max. 1540 mm
X	S420NL (1.8912)		

- EN 10025-4 (Part 4: thermomechanical rolled weldable fine grain structural steels)

X	S275M (1.8818)	Thickness min. 1,5 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S275ML (1.8819)		
X	S355M (1.8823)	Thickness min. 2,0 mm Width min. 800 mm	max. 18 mm max. 1540 mm
X	S355ML (1.8834)		
X	S420M (1.8825)	Thickness min. 2,8 mm Width min. 800 mm	max. 12 mm max. 1540 mm
X	S420ML (1.8836)		

Hamburg, 2006-10-13

Daniel Engel
Head of Certification Body